

**To:** Hestmark, Martin[Hestmark.Martin@epa.gov]  
**Cc:** Smith, Paula[Smith.Paula@epa.gov]  
**From:** Peterson, Cynthia  
**Sent:** Tue 8/11/2015 10:51:35 PM  
**Subject:** FW: Gold King Mine Adit - EPA Working Assumptions Drawing  
GOLD KING mine-rev1.pdf

Martin.

Here is the revised diagram.

Cynthia Peterson

Community Involvement Coordinator

Public Affairs and Community Involvement

U.S. Environmental Protection Agency, Region VIII

1595 Wynkoop St. (8OC-PAI)

Denver, CO 80202-1129

303-312-6879 -- direct dial

**From:** Ackerman, Joyce  
**Sent:** Tuesday, August 11, 2015 4:44 PM  
**To:** Peterson, Cynthia  
**Subject:** FW: Gold King Mine Adit - EPA Working Assumptions Drawing

**From:** Robinson, David [<mailto:David.Robinson@WestonSolutions.com>]  
**Sent:** Tuesday, August 11, 2015 4:41 PM  
**To:** Ackerman, Joyce  
**Subject:** RE: Gold King Mine Adit - EPA Working Assumptions Drawing

Joyce:

The revised drawing is attached. We centered the EPA logo in the adjacent box as well as remove the START logo.

Thanks

*David Robinson*

**Sr. Project Mgr. / Safety Officer**

**WESTON Solutions, Inc.**

1435 Garrison St., #100

Lakewood, CO 80215

O: 303-729-6181

C: 937-572-3630

[www.westonsolutions.com](http://www.westonsolutions.com)

**From:** Ackerman, Joyce [<mailto:Ackerman.Joyce@epa.gov>]

**Sent:** Tuesday, August 11, 2015 3:44 PM

**To:** Robinson, David <[David.Robinson@WestonSolutions.com](mailto:David.Robinson@WestonSolutions.com)>

**Subject:** FW: Gold King Mine Adit - EPA Working Assumptions Drawing

Hi Dave – The field team has requested that the drawing be revised by removing the START logo. Can you make that happen? Thanks!

Joyce Ackerman

On-Scene Coordinator and START P.O.

U.S. EPA Region 8

1595 Wynkoop Street

Denver, CO 80202

(303) 312-6822

**From:** Petri, Elliott [<mailto:Elliott.Petri@WestonSolutions.com>]

**Sent:** Tuesday, August 11, 2015 12:31 PM

**To:** Way, Steven; Ackerman, Joyce

**Cc:** Robinson, David; Christner, Jan

**Subject:** Gold King Mine Adit - EPA Working Assumptions Drawing

Hi All,

Please find attached the drafted version of the EPA working assumptions drawing for the Gold King Adit. Please let us know if there are any questions.

Thank You All,

Elliott petri

**Elliott Petri, PE**

Weston Solutions, Inc.

1435 Garrison St, Ste 100

Lakewood, CO 80215

Ph: 303-729-6156

Cell: 719-216-2754

Fax: 303-729-6101

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.